

BUTINOX Interiørvask

Product description

Type

BUTINOX Interiørvask is an effective, environmentally friendly product, specially made for basic cleaning before painting walls and ceilings.

Features and benefits

Does not contain any organic solvents, perfume or colorant. Removes dirt, oil residues and old soap film.

Recommended use

BUTINOX Interiørvask is mainly used for basic cleaning of ceilings, walls, panels etc. prior to application of primer / paint.

Product data

Packaging size	0.5 liter
pH value	8 to 9
Ingredients	Water Nonionic surfactants < 5 % EDTA < 5 % Dodecylbenzene sulphonic acid (2,5–10 %)

Application data

Remarks

The components in **BUTINOX Interiørvask** are strong so avoid long lasting skin contact. Avoid contact with eyes. If required, rinse thoroughly with large amounts of fresh water.

Application equipment / methods

Use lint-free cloth to apply soap mixture. On large surfaces such as wall and ceiling it is recommended to use Jordan wall/ceiling extension shaft and mop cloth. Clean the application tool with water.

Coverage

Theoretical: 100 m²/liter

Thinner

Water

Directions for use

1. Dissolve **Butinox Interiørvask** in warm water. Use 5 dl **BUTINOX Interiørvask** for 10 l of water.
2. Wash walls and ceilings with the solution of **BUTINOX Interiørvask** in water. Use lint-free cloth to apply soap mixture. On large surfaces such as wall and ceiling it is recommended to use Jordan wall/ceiling extension shaft and mop cloth.
3. Allow the treated area to dry completely before further treatment.

Cleaning of spillage

Cleaning with some soap and water.

Storage

In storage and in transport keep the container frost free and upright. Keep in a cool place. Keep container tightly closed.

Durability: 60 months in unopened packaging.

Disposal of waste

Residues of concentrated detergent should not be discharged into the sewer, but to a local environmental station.



Must be empty and dry

Health and safety

Please observe the environmental and precautionary notices displayed on the container.

A Material Safety Data Sheet for the product has been issued.

Detailed information regarding health and safety risks and precautions for the use of this product is specified in the product's Safety Data Sheet.

First-aid measures, refer to section 4.

Handling and storage, refer to section 7.

Transport information, refer to section 14.

Regulatory information, refer to section 15.

Miscellaneous

NOBB number

This document covers the following NOBB numbers:

48271625

Contact information

Scanox AS
P.O.Box 904 Brakerøya
3002 Drammen
Norway

Tel: +47 32 24 43 00
Fax: +47 32 84 13 85
SDSscanox@scanox.no

Disclaimer

The information in this document is given to the best of Scanox' knowledge, based on laboratory testing and practical experience. Scanox' products are considered as semi-finished goods and as such, products are often used under conditions beyond Scanox' control. Scanox cannot guarantee anything but the quality of the product itself. Minor product variations may be implemented in order to comply with local requirements. Scanox reserves the right to change the given data without further notice.

Users should always consult Scanox for specific guidance on the general suitability of this product for their needs and specific application practices.

If there is any inconsistency between different language issues of this document, the Norwegian (Norway) version will prevail.