

BUTINOX Sopp- og Algedreper

Product description

Type

BUTINOX Sopp- og algedreper is an effective biocidal concentrate for disinfection and removal of fungi and algal growth.

Features and benefits

Combats fungi and algal growth on fouled surfaces, as well as disinfects the surface. The product removes green algae and surface fungi (black spots). Releases minimal smell and emissions during application and drying.

Recommended use

Used to remove fungi and algae growth on untreated, stained, painted or varnished surfaces before treatment. Can also be used to remove fungi and algae on surfaces that are not to be treated, eg brick, slate, natural concrete, wall, tiles and the like. Can also be used for disinfection of surfaces; indoors and outdoors.

Product data

Packaging size 1 liter plastic bottle.
pH value 12 to 13

Application data

Remarks

Does not attack plastic, steel, paint, etc. in the recommended use concentration. Avoid spraying the product directly onto plants. Any spills may be rinsed off with clean water.

Cleaning of painting tools

Water.

Spreading rate and film thickness

	Spreading rate per coat (m ² /liter)	Film thickness per coat (µm)	
		Wet (calculated)	Dry (calculated)
Comments:	10–20 m ² / liter as pre-mixed liquid.		

Thinner

Water.

Directions for use

Pretreatment: Dirty and / or heavily polluted surfaces are washed thoroughly with **BUTINOX Kraftvask** or **BUTINOX Husvask**. Rinse thoroughly and allow the surface to dry before applying **BUTINOX Sopp- og algedreper**.

Thinning: Normally 1 part **BUTINOX Sopp- og algedreper** for 10 parts water. On heavily fouled surfaces 1 part **BUTINOX Sopp- og algedreper** to 5 parts water. As disinfectant 1 part **BUTINOX Sopp- og algedreper** to 50 parts water.

Application: Stain brush, cleaning brush, sponge or the like (for coarser surfaces, use a spray intended for use on plants). Moisten the entire surface and allow it to dry. Do not rinse off. If there is rain on the surface before painting or staining, the treatment must be repeated.

Further treatment: Further treatment should be done reasonably quickly after **BUTINOX Sopp- og algedreper** is applied / dried on the surface so that the agent is not washed away by rain and the like.

Storage

In storage and in transport keep the container frost free and upright.

Disposal of waste

Empty containers and residues of contents are delivered to municipal waste disposal or nearest environmental station.



Health and safety

Please observe the environmental and precautionary notices displayed on the container.

A Material Safety Data Sheet for the product has been issued.

Detailed information regarding health and safety risks and precautions for the use of this product is specified in the product's Safety Data Sheet.

First-aid measures, refer to section 4.

Handling and storage, refer to section 7.

Transport information, refer to section 14.

Regulatory information, refer to section 15.

Miscellaneous

NOBB number

This document covers the following NOBB numbers:

22531123

NOBB module number

22531115

Contact information

Scanox AS
P.O.Box 904 Brakerøya
3002 Drammen
Norway
Tel: +47 32 24 43 00

Disclaimer

The information in this document is given to the best of Scanox' knowledge, based on laboratory testing and practical experience. Scanox' products are considered as semi-finished goods and as such, products are often used under conditions beyond Scanox' control. Scanox cannot guarantee anything but the quality of the product itself. Minor product variations may be implemented in order to comply with local requirements. Scanox reserves the right to change the given data without further notice.

Users should always consult Scanox for specific guidance on the general suitability of this product for their needs and specific application practices.

If there is any inconsistency between different language issues of this document, the Norwegian (Norway) version will prevail.